

65847 65848 - LED LIGHT KIT FOR 48" & 70" ECONOMY FULL VISION SHOWCASE



PAGE 1 OF 28


65847 65848 - LED LIGHT KIT FOR 48" & 70" ECONOMY FULL VISION SHOWCASE



YOU WILL NEED TO SUPPLY YOUR OWN DRILL OR SCREWDRIVER FOR INSTALLATION.

PAGE 2 OF 28


65847 65848 - LED LIGHT KIT FOR 48" & 70" ECONOMY FULL VISION SHOWCASE



65847 65848 - LED LIGHT KIT FOR 48" & 70" ECONOMY FULL VISION SHOWCASE

STEP 2

TAKE THE WIRES FROM THE LED BAR AND THREAD THEM THROUGH THE "A" ECONOMY VISION WIRE TUBE, **STARTING FROM THE THREADED END OF THE TUBE**.



STEP 3


NEXT, SCREW IN THREADED END OF THE "A" TUBE INTO THE LED TUBE.


PAGE 4 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" ECONOMY FULL VISION SHOWCASE

STEP 4

PLACE THE TUBE COVER INTO THE PRE-DRILLED HOLE, LOCATED IN THE FRONT CORNER OF THE DISPLAY.





STEP 5


THREAD THE EXCESS LED WIRE THROUGH THE TUBE COVER.

PAGE 5 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" ECONOMY FULL VISION SHOWCASE

STEP 6


CAREFULLY SLIDE IN THE LED TUBE ASSEMBLY INTO THE DISPLAY. ALIGN WIRE TUBE WITH TUBE COVER, SLIDE IN AND CLIP LED TUBE INTO PLACE.



65847 65848 - LED LIGHT KIT FOR 48" & 70" ECONOMY FULL VISION SHOWCASE


STEP 7

TO COMPLETE THIS INSTALLATION, THE DISPLAY WILL NEED TO BE ACCESSED FROM THE BOTTOM. PLACE THE TRANSFORMER BRACKET OVER THE TRANSFORMER AND SCREW (#2 SCREWS) INTO PLACE WITH THE PRE-DRILLED HOLES . **DO NOT OVER TIGHTEN.**




STEP 8

LASTLY, SLIDE THE BARE WIRES INTO THE WIRE CLIPS, THEN CONNECT. (NOTE: THE WIRES CAN BE ON EITHER SIDE) INSTALLATION IS COMPLETE.




PAGE 7 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED FULL VISION SHOWCASE



PAGE 8 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED FULL VISION SHOWCASE




YOU WILL NEED TO SUPPLY YOUR OWN DRILL OR SCREWDRIVER FOR INSTALLATION.

PAGE 9 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED FULL VISION SHOWCASE


STEP 1



65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED FULL VISION SHOWCASE

STEP 3

TAKE THE WIRES FROM THE LED BAR AND THREAD THEM THROUGH THE "B" FULL VISION WIRE TUBE, **STARTING FROM THE THREADED END OF THE TUBE**.



STEP 4


NEXT, SCREW IN THREADED END OF THE "B" TUBE INTO THE LED TUBE.


PAGE 11 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED FULL VISION SHOWCASE

STEP 5

PLACE THE TUBE COVER INTO THE PRE-DRILLED HOLE, LOCATED IN THE FRONT CORNER OF THE DISPLAY.





STEP 6


THREAD THE EXCESS LED WIRE THROUGH THE TUBE COVER.

PAGE 12 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED FULL VISION SHOWCASE

STEP 7


CAREFULLY SLIDE IN THE LED TUBE ASSEMBLY INTO THE DISPLAY. ALIGN WIRE TUBE WITH TUBE COVER, SLIDE IN AND CLIP LED TUBE INTO PLACE.



65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED FULL VISION SHOWCASE


STEP 8

TO COMPLETE THIS INSTALLATION, THE DISPLAY WILL NEED TO BE ACCESSED FROM THE BOTTOM. PLACE THE TRANSFORMER BRACKET OVER THE TRANSFORMER AND SCREW (#2 SCREWS) INTO PLACE WITH THE PRE-DRILLED HOLES . **DO NOT OVER TIGHTEN.**




STEP 9

LASTLY, SLIDE THE BARE WIRES INTO THE WIRE CLIPS, THEN CONNECT. (NOTE: THE WIRES CAN BE ON EITHER SIDE) INSTALLATION IS COMPLETE.




PAGE 14 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED EXTRA VISION SHOWCASE



PAGE 15 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED EXTRA VISION SHOWCASE




YOU WILL NEED TO SUPPLY YOUR OWN DRILL OR SCREWDRIVER FOR INSTALLATION.

PAGE 16 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED EXTRA VISION SHOWCASE


STEP 1



65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED EXTRA VISION SHOWCASE

STEP 3

TAKE THE WIRES FROM THE LED BAR AND THREAD THEM THROUGH THE "D" EXTRA VISION WIRE TUBE, **STARTING FROM THE THREADED END OF THE TUBE**.



STEP 4


NEXT, SCREW IN THREADED END OF THE "D" TUBE INTO THE LED TUBE.


PAGE 18 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED EXTRA VISION SHOWCASE

STEP 5

PLACE THE TUBE COVER INTO THE PRE-DRILLED HOLE, LOCATED IN THE FRONT CORNER OF THE DISPLAY.





STEP 6


THREAD THE EXCESS LED WIRE THROUGH THE TUBE COVER.

PAGE 19 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED EXTRA VISION SHOWCASE

STEP 7


CAREFULLY SLIDE IN THE LED TUBE ASSEMBLY INTO THE DISPLAY. ALIGN WIRE TUBE WITH TUBE COVER, SLIDE IN AND CLIP LED TUBE INTO PLACE.



65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED EXTRA VISION SHOWCASE


STEP 8

TO COMPLETE THIS INSTALLATION, THE DISPLAY WILL NEED TO BE ACCESSED FROM THE BOTTOM. PLACE THE TRANSFORMER BRACKET OVER THE TRANSFORMER AND SCREW (#2 SCREWS) INTO PLACE WITH THE PRE-DRILLED HOLES . **DO NOT OVER TIGHTEN.**




STEP 9

LASTLY, SLIDE THE BARE WIRES INTO THE WIRE CLIPS, THEN CONNECT. (NOTE: THE WIRES CAN BE ON EITHER SIDE) INSTALLATION IS COMPLETE.




PAGE 21 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED JEWELRY SHOWCASE



PAGE 22 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED JEWELRY SHOWCASE




YOU WILL NEED TO SUPPLY YOUR OWN DRILL OR SCREWDRIVER FOR INSTALLATION.

PAGE 23 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED JEWELRY SHOWCASE


STEP 1



65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED JEWELRY SHOWCASE

STEP 2

TAKE THE WIRES FROM THE LED BAR AND THREAD THEM THROUGH THE "C" EXTRA VISION WIRE TUBE, **STARTING FROM THE THREADED END OF THE TUBE**.



STEP 3


NEXT, SCREW IN THREADED END OF THE "C" TUBE INTO THE LED TUBE.


PAGE 25 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED JEWELRY SHOWCASE

STEP 4

PLACE THE TUBE COVER INTO THE PRE-DRILLED HOLE, LOCATED IN THE FRONT CORNER OF THE DISPLAY.





STEP 5


THREAD THE EXCESS LED WIRE THROUGH THE TUBE COVER.

PAGE 26 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED JEWELRY SHOWCASE

STEP 6

CAREFULLY SLIDE IN THE LED TUBE ASSEMBLY INTO THE DISPLAY. ALIGN WIRE TUBE WITH TUBE COVER, SLIDE IN AND CLIP LED TUBE INTO PLACE.




PAGE 27 OF 28

65847 65848 - LED LIGHT KIT FOR 48" & 70" METAL FRAMED JEWELRY SHOWCASE


STEP 7

TO COMPLETE THIS INSTALLATION, THE DISPLAY WILL NEED TO BE ACCESSED FROM THE BOTTOM. PLACE THE TRANSFORMER BRACKET OVER THE TRANSFORMER AND SCREW (#2 SCREWS) INTO PLACE WITH THE PRE-DRILLED HOLES . **DO NOT OVER TIGHTEN.**



STEP 8

LASTLY, SLIDE THE BARE WIRES INTO THE WIRE CLIPS, THEN CONNECT. (NOTE: THE WIRES CAN BE ON EITHER SIDE) INSTALLATION IS COMPLETE.



PAGE 28 OF 28